



Spectral Analysis of Boundary Integral Operators Discretized Over the Sphere: a High-Frequency Perspective

Viviana Giunzioni^{*(1)}, Adrien Merlini⁽²⁾, and Francesco P. Andriulli⁽¹⁾

(1) Department of Electronics and Telecommunications, Politecnico di Torino, 10129 Turin, Italy

(2) Microwave Department, IMT Atlantique, 29238 Brest, France

Abstract

When modeling propagation and scattering phenomena using integral equations discretized by the boundary element method, it is common practice to approximate the boundary of the scatterer with a mesh comprising elements of size approximately equal to a fraction of the wavelength λ of the incident wave, e.g., $\lambda/10$. In this work, by analyzing the spectra of the operator matrices, we show a discrepancy with respect to the continuous operators which grows with the simulation frequency, challenging the common belief that the aforementioned widely used discretization approach is sufficient to maintain the accuracy of the solution constant when increasing the frequency.

1 Introduction

Boundary element methods (BEMs) for discretizing and solving integral equations are fundamental tools in modeling wave propagation and scattering phenomena. When increasing the simulation frequency k , one common approach consists in refining the discretization of the problem, increasing the number of degrees of freedom proportionally to k^{d-1} , where d is the dimension of the problem. This is equivalent, for example, to employ a mesh approximating the geometry characterized by elements of size h approximately equal to a fraction of the wavelength. The regime characterized by $hk = \text{const}$ while $k \rightarrow \infty$ is referred to as high-frequency regime. Although this kind of refinement is often the preferred choice, its efficacy in keeping the solution error constant in frequency is still topic of discussion [1, 2].

In this contribution, we propose a new approach to explore this fundamental question based on the spectral analysis of boundary integral operators in the high-frequency regime. To this end, we developed a novel semi-analytic approach to exactly determine the eigenvalues of the matrices discretizing the operators over the sphere, explaining how the discretization process causes the spectra of the matrices and of the continuous operators from which they derive to differ.

Once the eigenvalues of the BEM matrices are available, they can be compared to the ones of the continuous oper-

ators the matrices discretize, which results in the definition of a spectral difference, whose behavior in the high-frequency limit is studied in this contribution. Our analysis leads to the conclusion that the BEM discretization of one of the operators considered is affected by a spectral error increasing in the high-frequency regime, challenging the common belief that the accuracy is constant in said regime.

The paper is organized as follows: after providing the required notation in Section 2, in Section 3 we detail our new approach for the evaluation of the eigenvalues of the operator matrices. Successively, we propose a high-frequency analysis of the spectral error between matrices and operators in Section 4. Some numerical results proposed in Section 5 will validate the proposed approach, enforcing the conclusions of this work, drawn in Section 6.

2 Background and Formalism

Given the three-dimensional, free-space Green's function of wavenumber k

$$G^k(\mathbf{p}, \mathbf{p}') := \frac{e^{-jk|\mathbf{p}-\mathbf{p}'|}}{4\pi|\mathbf{p}-\mathbf{p}'|}, \quad (1)$$

and a closed and orientable surface Γ characterized by the outward normal $\mathbf{n}$, we define the single-layer and hypersingular operators as

$$\mathcal{S}^k f(\mathbf{p}) := k \int_{\Gamma} G^k(\mathbf{p}, \mathbf{p}') f(\mathbf{p}') d\mathbf{p}', \quad (2)$$

$$\mathcal{N}^k f(\mathbf{p}) := -\frac{1}{k} \frac{\partial}{\partial \mathbf{n}} \int_{\Gamma} \frac{\partial}{\partial \mathbf{n}'} G^k(\mathbf{p}, \mathbf{p}') f(\mathbf{p}') d\mathbf{p}'. \quad (3)$$

In this work, we will assume that Γ is the canonical sphere of radius $a = 1$. In this case, the eigenvalue decompositions of the above operators are known [3],

$$\mathcal{S}^k Y_l^p = \lambda_l^{\mathcal{S}^k} Y_l^p, \quad \mathcal{N}^k Y_l^p = \lambda_l^{\mathcal{N}^k} Y_l^p, \quad (4)$$

where $Y_l^p = Y_l^p(\theta, \phi)$ denotes the spherical harmonic function of the polar and azimuthal coordinates defined as in [4, Section 8.1] and the associated eigenvalues $\lambda_l^{\mathcal{S}^k}$ and $\lambda_l^{\mathcal{N}^k}$, of multiplicity $2l+1$, have expressions

$$\lambda_l^{\mathcal{S}^k} = -jk^2 j_l(k) h_l^{(2)}(k) \quad (5)$$

$$\lambda_l^{\mathcal{N}^k} = jk^2 j_l'(k) h_l^{(2)'}(k), \quad (6)$$

where $j_l(k)$ and $h_l^{(2)}$ are the spherical Bessel function of the first kind and the spherical Hankel function of the second kind respectively, of order l [4].

Boundary element approaches to discretize the integral equations involving the above operators are commonly based on the definition of a set of U testing t_u and U source f_v basis functions defined over a discretization or parametrization of Γ and on the definition of the matrices $\mathbf{S}^k$ and $\mathbf{N}^k$ with elements proportional to

$$(\mathbf{S}^k)_{uv} \propto (t_u, \mathcal{S}^k f_v)_{L^2(\Gamma)}, \quad (\mathbf{N}^k)_{uv} \propto (t_u, \mathcal{N}^k f_v)_{L^2(\Gamma)}.$$

In the next section, we aim at evaluating the eigenvalues of these matrices in case of basis functions defined on a uniform partition of the sphere.

3 A New Semi-Analytic Approach to Evaluate the Eigenvalues of $\mathbf{S}^k$ and $\mathbf{N}^k$

We define a partition of Γ , i.e., a set of N^2 surfaces Γ_i such that $\cup_{i=1}^{N^2} \Gamma_i = \Gamma$. Differently from standard triangulations or higher-order discretizations of surfaces commonly employed in BEM approaches, this choice leads to null geometrical error. After introducing the standard spherical coordinates $\theta \in [0, \pi]$ and $\phi \in [-\pi, \pi]$, representing the polar and azimuthal angle, we propose a uniform discretization along $z := \cos(\theta)$ and ϕ , as $\cos(\theta_n) = nh_z$ and $\phi_n = nh_\phi$ for $n = -\lfloor N/2 \rfloor, \dots, \lfloor N/2 \rfloor$, where $h_z = 2/N$ and $h_\phi = 2\pi/N$; N is assumed to be odd. The N^2 portions of Γ delimited by $\theta_m \leq \theta \leq \theta_{m+1}$ and $\phi_n \leq \phi \leq \phi_{n+1}$ are characterized by equal area $A := 4\pi/N^2$ and will be employed as a partition of Γ .

To discretize $\mathcal{S}^k$ and $\mathcal{N}^k$ using the BEM, we use test $t_u(\cos(\theta), \phi)$ and source $f_u(\cos(\theta), \phi)$ basis function, for $u = 1, \dots, N^2$, defined over the partitioned spherical domain Γ , which are separable functions of $\cos(\theta)$ and ϕ . In addition, we enforce a convenient ordering, or indexing, as

$$t_{(n+\lfloor N/2 \rfloor)N+(m+\lfloor N/2 \rfloor)}(\theta, \phi) = t_n^z(\cos(\theta))t_m^\phi(\phi), \quad (7)$$

$$f_{(n+\lfloor N/2 \rfloor)N+(m+\lfloor N/2 \rfloor)}(\theta, \phi) = f_n^z(\cos(\theta))f_m^\phi(\phi). \quad (8)$$

Additionally, we assume shift-invariance of t_n^ϕ and f_n^ϕ ,

$$t_n^\phi(\phi) = t_0^\phi(\phi - \phi_n), \quad f_n^\phi(\phi) = f_0^\phi(\phi - \phi_n). \quad (9)$$

The matrix $\mathbf{S}^k$ resulting from the BEM discretization of the single-layer operator has elements defined as

$$(\mathbf{S}^k)_{uv} = \frac{k}{A} \int_{\Gamma} t_u(\mathbf{r}) \int_{\Gamma} f_v(\mathbf{r}') G^k(\mathbf{r}, \mathbf{r}') d\mathbf{r}' d\mathbf{r}. \quad (10)$$

Using the addition theorem for spherical harmonics and spherical Bessel functions, the Green's function evaluated at points $\mathbf{r} = (\theta, \phi)$ and $\mathbf{r}' = (\theta', \phi')$ can be expanded in spherical harmonics as

$$G^k(\mathbf{r}, \mathbf{r}') = -\frac{1}{k} \sum_{l=0}^{\infty} \sum_{p=-l}^l Y_l^p(\theta, \phi) Y_l^{p*}(\theta', \phi') \lambda_l^{\mathcal{S}^k}. \quad (11)$$

By substituting (11) in (10), given the separability of basis functions, after a change of variables from Cartesian to spherical coordinates, the element of $\mathbf{S}^k$ can be written as

$$\begin{aligned} & (\mathbf{S}^k)_{(n+\lfloor N/2 \rfloor)N+(m+\lfloor N/2 \rfloor), (n'+\lfloor N/2 \rfloor)N+(m'+\lfloor N/2 \rfloor)} = \\ & - \sum_{l=0}^{\infty} \sum_{p=-l}^l \lambda_l^{\mathcal{S}^k} \left(\int_{-1}^1 \bar{P}_l^p(z) t_m^z(z) dz \right) \left(\int_{-1}^1 \bar{P}_l^p(z') f_n^z(z') dz' \right) \\ & \left(\int_{-\pi}^{\pi} e^{ip\phi} t_m^\phi(\phi) d\phi \right) \left(\int_{-\pi}^{\pi} e^{-ip\phi'} f_n^\phi(\phi') d\phi' \right) \frac{N^2}{4\pi}, \quad (12) \end{aligned}$$

where we denote by $\bar{P}_l^p(z)$ the normalization of the Legendre function as $\bar{P}_l^p(z) = \sqrt{(2l+1)(l-|p|)!/(l+|p|)!} P_l^p(z)$.

The indexing of basis functions introduced in (7), (8) makes the matrix $\mathbf{S}^k$ block-circulant, since it is composed of N^2 circulant blocks of dimension N . Indeed, each of these blocks corresponds to the interaction between test basis functions defined over a spherical segment and source basis functions defined over another spherical segment. We now define the matrix $\mathbf{D}_N \in \mathbb{C}^{N \times N}$ whose $(p + \lfloor N/2 \rfloor)$ -th column is given by $e^{-ip\phi_n}/\sqrt{N}$, i.e., this is the matrix of eigenvectors of each of the circulant blocks of $\mathbf{S}^k$ [5]. We also define $\mathbf{D} \in \mathbb{C}^{N^2, N^2}$ as a block diagonal matrix with diagonal blocks equal to $\mathbf{D}_N$. The result of the matrix product $\mathbf{D}^{-1} \mathbf{S}^k \mathbf{D}$ is a block matrix containing N^2 diagonal blocks of dimension N . The diagonal of each of these blocks contains the eigenvalues of the corresponding block of $\mathbf{S}^k$, of spectral index p ranging from $-\lfloor N/2 \rfloor$ to $\lfloor N/2 \rfloor$. We then apply a permutation aimed at grouping together all the eigenvalues of the different blocks corresponding to the same eigenvector, or, equivalently, characterized by the same spectral index p . The resulting matrix $\bar{\mathbf{S}}^k$ is a block diagonal matrix, where the block of index $(p + \lfloor N/2 \rfloor)$ contains in index (i, j) the eigenvalue of spectral index p of the block of index (i, j) of matrix $\mathbf{S}^k$. By denoting this permutation matrix as $\mathbf{P}$, we have

$$\mathbf{P}^T \mathbf{D}^H \mathbf{S}^k \mathbf{D} \mathbf{P} = \bar{\mathbf{S}}^k. \quad (13)$$

Given the diagonalization of the original and of the manipulated matrices,

$$\mathbf{S}^k \mathbf{v} = \lambda \mathbf{v} \quad (14)$$

$$\mathbf{P}^T \mathbf{D}^H \mathbf{S}^k \mathbf{D} \mathbf{P} \bar{\mathbf{v}} = \bar{\lambda} \bar{\mathbf{v}}, \quad (15)$$

we have that

$$\bar{\mathbf{v}} = \mathbf{P}^T \mathbf{D}^H \mathbf{v} \quad \text{and} \quad \bar{\lambda} = \lambda, \quad (16)$$

that is, matrices $\mathbf{S}^k$ and $\bar{\mathbf{S}}^k$ share the same eigenvalues. So, it is possible to retrieve the eigenvalues of $\mathbf{S}^k$ as the union of the eigenvalues of the diagonal blocks of $\bar{\mathbf{S}}^k$. To facilitate further developments we denote the diagonal block of $\bar{\mathbf{S}}^k$ at index $(p + \lfloor N/2 \rfloor)$ as $\bar{\mathbf{S}}_p^k$, and the Fourier series coefficients of $t_0^\phi(\phi)$ and $f_0^\phi(\phi)$ as T_q, F_q [5],

$$T_q := \frac{1}{h_\phi} \int t_0^\phi(\phi) e^{jq\phi} d\phi, \quad F_q := \frac{1}{h_\phi} \int f_0^\phi(\phi) e^{jq\phi} d\phi. \quad (17)$$

Then, the matrix $\bar{\mathbf{S}}_p^k$ is given by

$$\bar{\mathbf{S}}_p^k = -\frac{N}{2} \sum_{l=0}^{\infty} \lambda_l^{\mathcal{S}^k} \sum_{\substack{s=-\infty \\ |p+sN| \leq l}}^{\infty} \mathbf{P}_l^{(p+sN)} T_{-(p+sN)} F_{(p+sN)}, \quad (18)$$

$$= -\frac{N}{2} \sum_{s=-\infty}^{\infty} \sum_{l=|p+sN|}^{\infty} \lambda_l^{\mathcal{S}^k} \mathbf{P}_l^{(p+sN)} T_{-(p+sN)} F_{(p+sN)} \quad (19)$$

where matrix $\mathbf{P}_l^p$ is a rank-one matrix, $\mathbf{P}_l^p = \mathbf{t}_l^p \mathbf{f}_l^{pT}$, with

$$\mathbf{t}_l^p = \begin{pmatrix} \int_{-1}^1 \bar{\mathbf{P}}_l^p(z) t_1^\theta(z) dz \\ \vdots \\ \int_{-1}^1 \bar{\mathbf{P}}_l^p(z) t_N^\theta(z) dz \end{pmatrix}, \quad \mathbf{f}_l^p = \begin{pmatrix} \int_{-1}^1 \bar{\mathbf{P}}_l^p(z) f_1^\theta(z) dz \\ \vdots \\ \int_{-1}^1 \bar{\mathbf{P}}_l^p(z) f_N^\theta(z) dz \end{pmatrix}.$$

Using these results, the eigenvalues of $\bar{\mathbf{S}}^k$ can be compared with the eigenvalues of the operator $\mathcal{S}^k$. We focus in particular on the hyperbolic and the transition regions of the spectrum, corresponding respectively to spectral indices $l < k$ and $l \simeq k$ [2]. Given the nature of the summation with respect to the index l in eq. (19), the eigenvalues of the block $\bar{\mathbf{S}}_{p=0}^k$ should be compared with $\lambda_l^{\mathcal{S}^k}$ for $l = 0, \dots, N-1$, where, given the multiplicity of the eigenvalues of the operators, $N-1 =: l_{\max}$ is the maximum spectral index of the visible range. Indeed, $\sum_{l=0}^{l_{\max}} (2l+1) = (l_{\max} + 1)^2 = N^2$. Similarly, $(N-1)$ eigenvalues of $\bar{\mathbf{S}}_{p=\pm 1}^k$ should be compared with $\lambda_l^{\mathcal{S}^k}$ for $l = 1, \dots, N-1$, while one remaining eigenvalue does not have clear correspondence with the spectrum of the continuous operator. Please note that, by ordering the eigenvalues as explained above, the multiplicity of the comparison between eigenvalues of the operator and of the matrix is satisfied at least up to spectral index $l = k$ (we assume k is integer). Indeed, given a spectral index $l \leq k$, we identify $(2l-1)$ eigenvalues of $\bar{\mathbf{S}}^k$ to be compared with $\lambda_l^{\mathcal{S}^k}$, each of them eigenvalue of a different block $\bar{\mathbf{S}}_p^k$ characterized by $|p| \leq l$.

The numerical results proposed in the following will focus on polynomial basis functions. In particular, we will consider patch and pyramid basis functions, given by the product of patch and pyramid basis functions of argument z and ϕ defined as

$$\pi_0^\xi(\xi) = \begin{cases} 1, & \text{if } |\xi| \leq h_\xi/2, \\ 0, & \text{otherwise} \end{cases}, \quad (20)$$

$$\lambda_0^\xi(\xi) = \begin{cases} 1 - |\xi|/h_\xi, & \text{if } |\xi| \leq h_\xi, \\ 0, & \text{otherwise} \end{cases}, \quad (21)$$

where ξ stands for z or ϕ . We also impose the shift-invariance for the z -component, $\pi_n^z(z) = \pi_0^z(z)(z - \cos(\theta_n))$ and $\lambda_n^z(z) = \lambda_0^z(z)(z - \cos(\theta_n))$. The Fourier coefficients associated to π_0^ϕ and λ_0^ϕ , with expressions [5]

$$T_p^\pi = \left[\frac{\sin(\pi p/N)}{(\pi p/N)} \right] \quad \text{and} \quad T_p^\lambda = \left[\frac{\sin(\pi p/N)}{(\pi p/N)} \right]^2, \quad (22)$$

equal one for $p = 0$ and equal zero for $p = sN$. This allows for a simplification of the expression of the block $\bar{\mathbf{S}}_{p=0}^k$, reading

$$\bar{\mathbf{S}}_{p=0}^k = -\frac{N}{2} \sum_{l=0}^{\infty} \lambda_l^{\mathcal{S}^k} \mathbf{P}_l^0. \quad (23)$$

Following similar steps, the eigenvalues of the matrix $\mathbf{N}^k$ discretizing the hypersingular operator can be retrieved as the union of the eigenvalues of the N blocks $\bar{\mathbf{N}}_p^k$ defined as

$$\bar{\mathbf{N}}_p^k = \frac{N}{2} \sum_{s=-\infty}^{\infty} \sum_{l=|p+sN|}^{\infty} \lambda_l^{\mathcal{N}^k} \mathbf{P}_l^{(p+sN)} T_{-(p+sN)} F_{(p+sN)}. \quad (24)$$

Finally, by virtue of the spherical harmonics decomposition of the Dirac delta distribution [4], the eigenvalues of the Gram matrix $\mathbf{G}$ discretizing the identity operator, with eigenvalues $\lambda_l^{\mathcal{I}} = 1$, are given by the union of the eigenvalues of the blocks

$$\bar{\mathbf{G}}_p = \frac{N}{2} \sum_{s=-\infty}^{\infty} \sum_{l=|p+sN|}^{\infty} \lambda_l^{\mathcal{I}} \mathbf{P}_l^{(p+sN)} T_{-(p+sN)} F_{(p+sN)}. \quad (25)$$

4 High-Frequency Analysis of the Spectral Error

As shown in the previous section, the eigenvalues of the BEM matrices discretizing the integral operators are the union of the eigenvalues of the blocks $\bar{\mathbf{S}}_p^k$ and $\bar{\mathbf{N}}_p^k$. In particular, up to the spectral index $l = k$, a clear correspondence with the eigenvalues of the continuous operators $\mathcal{S}^k$ and $\mathcal{N}^k$ can be identified, allowing for the definition of a relative spectral error

$$E_{l,p}^{\mathcal{S}^k} := \frac{\hat{\lambda}_{l,p}^{\mathcal{S}^k} - \lambda_l^{\mathcal{S}^k}}{\lambda_l^{\mathcal{S}^k}}, \quad E_{l,p}^{\mathcal{N}^k} := \frac{\hat{\lambda}_{l,p}^{\mathcal{N}^k} - \lambda_l^{\mathcal{N}^k}}{\lambda_l^{\mathcal{N}^k}}, \quad (26)$$

where we have denoted as $\hat{\lambda}_{l,p}^{\mathcal{S}^k}$ and $\hat{\lambda}_{l,p}^{\mathcal{N}^k}$ the eigenvalues of the blocks $\bar{\mathbf{S}}_p^k$, $\bar{\mathbf{N}}_p^k$ associated to the spectral index l .

We did not observe, nor did we theoretically find, any orthogonality between the arrays $\{\mathbf{t}_l^p\}_{l=|p|}^{\infty}$ and $\{\mathbf{f}_l^p\}_{l=|p|}^{\infty}$ associated to the basis functions considered (eqs. (20) and (21)). Hence, we may assume that the aliasing component of the spectral error [5], which here means the component of the spectral error resulting from interferences with high-frequency spectral components of the spectrum of the operator outside the visible range, is given in this case both from the terms corresponding to $s \neq 0$ and from the terms corresponding to $l > |p| + N$.

It follows that, as in the two-dimensional circular case [2], the high-frequency behavior of the spectral error will be determined by the high-frequency behavior of the spectra of the continuous operators, and, in particular, by the relative high-frequency scaling of some spectral components with respect to others. Note that [4]

$$j_l(k) = \sqrt{\frac{\pi}{2k}} J_{l+\frac{1}{2}}(k), \quad h_l^{(2)}(k) = \sqrt{\frac{\pi}{2k}} H_{l+\frac{1}{2}}^{(2)}(k), \quad (27)$$




Figure 1. Convergence of the Gram matrix evaluated following our new semi-analytic approach (eq. (28)) to the expected value as a function of L .

where $J_l(k)$ and $H_l^{(2)}(k)$ are the Bessel and Hankel functions of first and second kind [4]. By studying the asymptotic expansions of Bessel and Hankel functions, of large argument type ([4, Section 9.2]) for indices $l \ll k$ and of large order type ([4, Section 9.3]) for $l \simeq k$ and $l \gg k$, we obtain that $|\lambda_l^{\mathcal{S}^k}|$ and $|\lambda_l^{\mathcal{N}^k}|$ in the transition region respectively increase as $k^{1/3}$ and decrease as $k^{-1/3}$ in the high-frequency regime, while they maintain a constant order of magnitude in the hyperbolic and elliptic regions of the spectra. As in the two-dimensional case [2], this translates into an aliasing error expected to decrease as $k^{-1/3}$ and to increase as $k^{1/3}$ in the transition region for the matrices $\mathcal{S}^k$ and $\mathcal{N}^k$.

5 Numerical Results

The numerical results proposed in this section aim at validating the novel semi-analytic approach for the evaluation of the eigenvalues of the BEM matrices. To this purpose, we compared matrix

$$\bar{\mathbf{G}}_{p=0} = \frac{N}{2} \sum_{l=0}^L \lambda_l^{\mathcal{S}} \mathbf{P}_l^0, \quad (28)$$

resulting from the discretization by means of patch functions, with the identity matrix, which is the expected result for the Gram matrix for $L \rightarrow \infty$, given the uniform discretization of the sphere. The convergence of $|\bar{\mathbf{G}}_{p=0}^k - \mathbf{I}|/|\mathbf{I}|$ to zero as a function of L is shown in Figure 1, validating our approach.

Then, we employed the proposed strategy to evaluate the eigenvalues of the single-layer and hypersingular operator matrices discretized by means of pyramid functions at the frequency $ka = 30$, shown in Figure 2.

6 Conclusions

We proposed a new semi-analytic approach for the spectral characterization of the BEM matrices discretizing integral




Figure 2. Eigenvalues of the BEM matrices of the single-layer (a) and hypersingular (b) operators: comparison with the spectra of the operators.

operators over the sphere. The high-frequency analysis of the spectral relative difference between matrices and operators reveals an increasing behavior as $k^{1/3}$ of the spectral error of one of the operators considered, suggesting the possibility of an increasing solution error in the high-frequency regime.

7 Acknowledgements

This work was supported by the European Innovation Council (EIC) through the European Union's Horizon Europe research Programme under Grant 101046748 (Project CEREBRO).

References

- [1] J. Galkowski, E. Müller, and E. Spence, "Wavenumber-explicit analysis for the Helmholtz h-BEM: Error estimates and iteration counts for the Dirichlet problem," *Numerische Mathematik*, vol. 142, pp. 329–357, June 2019.
- [2] V. Giunzioni, A. Merlini, and F. Andriulli, "On a high-frequency analysis of some relevant integral equations in electromagnetics," in *2024 International Conference on Electromagnetics in Advanced Applications (ICEAA)*, (Lisbon, Portugal), pp. 821–824, IEEE, Sept. 2024.
- [3] G. Hsiao and R. Kleinman, "Error analysis in numerical solution of acoustic integral equations," *International Journal for Numerical Methods in Engineering*, vol. 37, pp. 2921–2933, Sept. 1994.
- [4] M. Abramowitz and I. A. Stegun, *Handbook of Mathematical Functions: With Formulas, Graphs, and Mathematical Tables*, vol. 55. Courier Corporation, 1964.
- [5] K. F. Warnick and W. C. Chew, *Numerical Analysis for Electromagnetic Integral Equations*. Boston: Artech House, 2008.